

**WEST**

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Cases

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms  
starting with: LAST\$(LAST-PRECEDING).P29-P90.

**Search Results -**

Terms	Documents
restart\$ adj4 (last\$ adj8 execut\$)	4

Database:

US Patents Full-Text Database  
US Pre-Grant Publication Full-Text Database  
JPO Abstracts Database  
EPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L56

Refine Search

Recall Text

Clear

**Search History**

DATE: Monday, March 04, 2002   [Printable Copy](#)   [Create Case](#)

**Set Name Query**  
side by side

**Hit Count Set Name**  
result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L56</u>	restart\$ adj4 (last\$ adj8 execut\$)	4	<u>L56</u>
<u>L55</u>	restart\$ same last	2816	<u>L55</u>
<u>L54</u>	L53 and (ERP or enterprise or database\$)	26	<u>L54</u>
<u>L53</u>	l51 and ( command\$ or file\$ and execut\$ and (screen or window))	76	<u>L53</u>
<u>L52</u>	l51 and command\$ or file\$ and execut\$ and (screen or window)	42064	<u>L52</u>
<u>L51</u>	restart\$ adj4 parameter\$	116	<u>L51</u>

<u>L50</u>	l1 and (on or off)	1	<u>L50</u>
<u>L49</u>	l1 and conditional\$	1	<u>L49</u>
<u>L48</u>	l1 and ((command\$ or logic\$) same parameter\$)	1	<u>L48</u>
<u>L47</u>	l1 and (begin\$ or start\$ or re\$)	1	<u>L47</u>
<u>L46</u>	l1 and parameter\$ and condition\$	1	<u>L46</u>
<u>L45</u>	l1 and (parameter same (yes or no or boolean\$))	1	<u>L45</u>
<u>L44</u>	l1 and (file\$ same (record\$ or data\$))	1	<u>L44</u>
<u>L43</u>	l1 and collaps\$	1	<u>L43</u>
<u>L42</u>	l1 and parameter\$	1	<u>L42</u>
<u>L41</u>	l1 and last\$	1	<u>L41</u>
<u>L40</u>	l1 and (start\$ or reassum\$ or re\$)	1	<u>L40</u>
<u>L39</u>	l1 and (restart\$)	0	<u>L39</u>
<u>L38</u>	L37 and invalid\$	1	<u>L38</u>
<u>L37</u>	l1 and (ceas\$ or exit\$ or interrupt\$ or halt\$ or stop\$)	1	<u>L37</u>
<u>L36</u>	l1 and (transfer\$ or distribut\$)	1	<u>L36</u>
<u>L35</u>	l1 and (transmit\$ or e mail)	1	<u>L35</u>
<u>L34</u>	l1 and record\$	1	<u>L34</u>
<u>L33</u>	l1 and compar\$	1	<u>L33</u>
<u>L32</u>	l1 and (trac\$ or comput\$ or examin\$ or process\$ ) and record\$	1	<u>L32</u>
<u>L31</u>	l1 and audit\$	0	<u>L31</u>
<u>L30</u>	l1 and (error\$ OR FALUT\$ OR INTERRUPT\$)	1	<u>L30</u>
<u>L29</u>	l1 and (execut\$ near5 ( command\$ or window\$ or screen\$))	1	<u>L29</u>
<u>L28</u>	l1 and (retriev\$ or display or window\$) adj7 (data or record\$)	1	<u>L28</u>
<u>L27</u>	l1 and trans\$	0	<u>L27</u>
<u>L26</u>	l1 and transaction\$	0	<u>L26</u>
<u>L25</u>	l1 and (data object or template or screen or window\$ or field\$) and name\$	1	<u>L25</u>
<u>L24</u>	l1 and (data object or template or screen or window\$ or field\$) and name\$ and id\$	0	<u>L24</u>
<u>L23</u>	l1 and (data object or template or screen or window\$ or field\$)	1	<u>L23</u>
<u>L22</u>	l1 and long\$	1	<u>L22</u>
<u>L21</u>	l1 and field and (name or id\$ or length, locat\$)	1	<u>L21</u>
<u>L20</u>	l1 and (parameter\$ same edit\$)	1	<u>L20</u>
<u>L19</u>	l1 and edit\$	1	<u>L19</u>
<u>L18</u>	l1 and (text editor)	0	<u>L18</u>
<u>L17</u>	l1 and (Parameter\$ same editor\$)	0	<u>L17</u>
<u>L16</u>	l1 and (parameter\$ near6 (logic\$ or configur\$))	1	<u>L16</u>
<u>L15</u>	l1 and (extract\$ same database\$)	0	<u>L15</u>

<u>L14</u>	l1 and database	1	<u>L14</u>
<u>L13</u>	l1 and data base	0	<u>L13</u>
<u>L12</u>	l1 and legacy	0	<u>L12</u>
<u>L11</u>	L10l1 and (legac\$ or database\$)	0	<u>L11</u>
<u>L10</u>	l1 and (data near5 (ERP))	1	<u>L10</u>
<u>L9</u>	l1 and (window\$ or display\$ or monitor\$) near6 (ERP or enterprise\$)	0	<u>L9</u>
<u>L8</u>	l1 and (command\$ near5 execut\$)	1	<u>L8</u>
<u>L7</u>	l1 and (command\$ adj5 execut\$)	1	<u>L7</u>
<u>L6</u>	l1 and (execut\$ near5 (display or window\$))	1	<u>L6</u>
<u>L5</u>	l1 and execut\$	1	<u>L5</u>
<u>L4</u>	l1 and (data adj5 parameter)	1	<u>L4</u>
<u>L3</u>	l1 and (configuration data same parameter)	0	<u>L3</u>
<u>L2</u>	L1 and (process\$ adj4 parameter\$)	1	<u>L2</u>
<u>L1</u>	5844554.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

starting with: LAST\$(LAST-PRECEDING).P29-P90.

**Search Results -**

Terms	Documents
restart\$ adj4 (last\$ adj8 execut\$)	4

Database:

[US Patents Full-Text Database](#)  
[US Pre-Grant Publication Full-Text Database](#)  
[JPO Abstracts Database](#)  
[EPO Abstracts Database](#)  
[Derwent World Patents Index](#)  
[IBM Technical Disclosure Bulletins](#)

Search:

L56

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**

DATE: Monday, March 04, 2002   [Printable Copy](#)   [Create Case](#)

**Set Name   Query**

side by side

**Hit Count   Set Name**

result set

*DB=USPT; PLUR=YES; OP=ADJ*

<a href="#">L56</a>	restart\$ adj4 (last\$ adj8 execut\$)	4	<a href="#">L56</a>
<a href="#">L55</a>	restart\$ same last	2816	<a href="#">L55</a>
<a href="#">L54</a>	L53 and (ERP or enterprise or database\$)	26	<a href="#">L54</a>
<a href="#">L53</a>	l51 and ( command\$ or file\$ and execut\$ and (screen or window))	76	<a href="#">L53</a>
<a href="#">L52</a>	l51 and command\$ or file\$ and execut\$ and (screen or window)	42064	<a href="#">L52</a>
<a href="#">L51</a>	restart\$ adj4 parameter\$	116	<a href="#">L51</a>

<u>L50</u>	l1 and (on or off)	1	<u>L50</u>
<u>L49</u>	l1 and conditional\$	1	<u>L49</u>
<u>L48</u>	l1 and ((command\$ or logic\$) same parameter\$)	1	<u>L48</u>
<u>L47</u>	l1 and (begin\$ or start\$ or re\$)	1	<u>L47</u>
<u>L46</u>	l1 and parameter\$ and condition\$	1	<u>L46</u>
<u>L45</u>	l1 and (parameter same (yes or no or boolean\$))	1	<u>L45</u>
<u>L44</u>	l1 and (file\$ same (record\$ or data\$))	1	<u>L44</u>
<u>L43</u>	l1 and collaps\$	1	<u>L43</u>
<u>L42</u>	l1 and parameter\$	1	<u>L42</u>
<u>L41</u>	l1 and last\$	1	<u>L41</u>
<u>L40</u>	l1 and (start\$ or reassum\$ or re\$)	1	<u>L40</u>
<u>L39</u>	l1 and (restart\$)	0	<u>L39</u>
<u>L38</u>	L37 and invalid\$	1	<u>L38</u>
<u>L37</u>	l1 and (ceas\$ or exit\$ or interrupt\$ or halt\$ or stop\$)	1	<u>L37</u>
<u>L36</u>	l1 and (transfer\$ or distribut\$)	1	<u>L36</u>
<u>L35</u>	l1 and (transmit\$ or e mail)	1	<u>L35</u>
<u>L34</u>	l1 and record\$	1	<u>L34</u>
<u>L33</u>	l1 and compar\$	1	<u>L33</u>
<u>L32</u>	l1 and (trac\$ or comput\$ or examin\$ or process\$ ) and record\$	1	<u>L32</u>
<u>L31</u>	l1 and audit\$	0	<u>L31</u>
<u>L30</u>	l1 and (error\$ OR FALUT\$ OR INTERRUPT\$)	1	<u>L30</u>
<u>L29</u>	l1 and (execut\$ near5 ( command\$ or window\$ or screen\$))	1	<u>L29</u>
<u>L28</u>	l1 and (retriev\$ or display or window\$) adj7 (data or record\$)	1	<u>L28</u>
<u>L27</u>	l1 and trans\$	0	<u>L27</u>
<u>L26</u>	l1 and transaction\$	0	<u>L26</u>
<u>L25</u>	l1 and (data object or template or screen or window\$ or field\$) and name\$	1	<u>L25</u>
<u>L24</u>	l1 and (data object or template or screen or window\$ or field\$) and name\$ and id\$	0	<u>L24</u>
<u>L23</u>	l1 and (data object or template or screen or window\$ or field\$)	1	<u>L23</u>
<u>L22</u>	l1 and long\$	1	<u>L22</u>
<u>L21</u>	l1 and field and (name or id\$ or length, locat\$)	1	<u>L21</u>
<u>L20</u>	l1 and (parameter\$ same edit\$)	1	<u>L20</u>
<u>L19</u>	l1 and edit\$	1	<u>L19</u>
<u>L18</u>	l1 and (text editor)	0	<u>L18</u>
<u>L17</u>	l1 and (Parameter\$ same editor\$)	0	<u>L17</u>
<u>L16</u>	l1 and (parameter\$ near6 (logic\$ or configur\$))	1	<u>L16</u>
<u>L15</u>	l1 and (extract\$ same database\$)	0	<u>L15</u>

<u>L14</u>	l1 and database	1	<u>L14</u>
<u>L13</u>	l1 and data base	0	<u>L13</u>
<u>L12</u>	l1 and legacy	0	<u>L12</u>
<u>L11</u>	L10l1 and (legac\$ or database\$)	0	<u>L11</u>
<u>L10</u>	l1 and (data near5 (ERP))	1	<u>L10</u>
<u>L9</u>	l1 and (window\$ or display\$ or monitor\$) near6 (ERP or enterprise\$)	0	<u>L9</u>
<u>L8</u>	l1 and (command\$ near5 execut\$)	1	<u>L8</u>
<u>L7</u>	l1 and (command\$ adj5 execut\$)	1	<u>L7</u>
<u>L6</u>	l1 and (execut\$ near5 (display or window\$))	1	<u>L6</u>
<u>L5</u>	l1 and execut\$	1	<u>L5</u>
<u>L4</u>	l1 and (data adj5 parameter)	1	<u>L4</u>
<u>L3</u>	l1 and (configuration data same parameter)	0	<u>L3</u>
<u>L2</u>	L1 and (process\$ adj4 parameter\$)	1	<u>L2</u>
<u>L1</u>	5844554.pn.	1	<u>L1</u>

END OF SEARCH HISTORY